



## familial dysautonomia

Familial dysautonomia is a genetic disorder that affects the development and survival of certain nerve cells. The disorder disturbs cells in the autonomic nervous system, which controls involuntary actions such as digestion, breathing, production of tears, and the regulation of blood pressure and body temperature. It also affects the sensory nervous system, which controls activities related to the senses, such as taste and the perception of pain, heat, and cold. Familial dysautonomia is also called hereditary sensory and autonomic neuropathy, type III.

Problems related to this disorder first appear during infancy. Early signs and symptoms include poor muscle tone (hypotonia), feeding difficulties, poor growth, lack of tears, frequent lung infections, and difficulty maintaining body temperature. Older infants and young children with familial dysautonomia may hold their breath for prolonged periods of time, which may cause a bluish appearance of the skin or lips (cyanosis) or fainting. This breath-holding behavior usually stops by age 6. Developmental milestones, such as walking and speech, are usually delayed, although some affected individuals show no signs of developmental delay.

Additional signs and symptoms in school-age children include bed wetting, episodes of vomiting, reduced sensitivity to temperature changes and pain, poor balance, abnormal curvature of the spine (scoliosis), poor bone quality and increased risk of bone fractures, and kidney and heart problems. Affected individuals also have poor regulation of blood pressure. They may experience a sharp drop in blood pressure upon standing (orthostatic hypotension), which can cause dizziness, blurred vision, or fainting. They can also have episodes of high blood pressure when nervous or excited, or during vomiting incidents. About one-third of children with familial dysautonomia have learning disabilities, such as a short attention span, that require special education classes. By adulthood, affected individuals often have increasing difficulties with balance and walking unaided. Other problems that may appear in adolescence or early adulthood include lung damage due to repeated infections, impaired kidney function, and worsening vision due to the shrinking size (atrophy) of optic nerves, which carry information from the eyes to the brain.

### Frequency

Familial dysautonomia occurs primarily in people of Ashkenazi (central or eastern European) Jewish descent. It affects about 1 in 3,700 individuals in Ashkenazi Jewish populations. Familial dysautonomia is extremely rare in the general population.

## Genetic Changes

Mutations in the *IKBKAP* gene cause familial dysautonomia.

The *IKBKAP* gene provides instructions for making a protein called IKK complex-associated protein (IKAP). This protein is found in a variety of cells throughout the body, including brain cells.

Nearly all individuals with familial dysautonomia have two copies of the same *IKBKAP* gene mutation in each cell. This mutation can disrupt how information in the *IKBKAP* gene is pieced together to make a blueprint for the production of IKAP protein. As a result of this error, a reduced amount of normal IKAP protein is produced. This mutation behaves inconsistently, however. Some cells produce near normal amounts of the protein, and other cells—particularly brain cells—have very little of the protein. Critical activities in brain cells are probably disrupted by reduced amounts or the absence of IKAP protein, leading to the signs and symptoms of familial dysautonomia.

## Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

## Other Names for This Condition

- FD
- HSAN Type III
- HSAN3
- HSN-III
- Riley-Day Syndrome

## Diagnosis & Management

### Genetic Testing

- Genetic Testing Registry: Familial dysautonomia  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0013364/>

### Other Diagnosis and Management Resources

- GeneReview: Familial Dysautonomia  
<https://www.ncbi.nlm.nih.gov/books/NBK1180>
- MedlinePlus Encyclopedia: Riley-Day Syndrome  
<https://medlineplus.gov/ency/article/001387.htm>

### General Information from MedlinePlus

- Diagnostic Tests  
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy  
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling  
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care  
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation  
<https://medlineplus.gov/surgeryandrehabilitation.html>

### **Additional Information & Resources**

#### MedlinePlus

- Encyclopedia: Riley-Day Syndrome  
<https://medlineplus.gov/ency/article/001387.htm>
- Health Topic: Autonomic Nervous System Disorders  
<https://medlineplus.gov/autonomicnervoussystemdisorders.html>
- Health Topic: Peripheral Nerve Disorders  
<https://medlineplus.gov/peripheralnervedisorders.html>

#### Genetic and Rare Diseases Information Center

- Familial dysautonomia  
<https://rarediseases.info.nih.gov/diseases/7581/familial-dysautonomia>

#### Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Information Page  
<https://www.ninds.nih.gov/Disorders/All-Disorders/Dysautonomia-Information-Page>

#### Educational Resources

- NYU Langone Medical Center  
<http://www.med.nyu.edu/neurology/dysautonomia-center/research-trials/current-research/research-fd>
- Orphanet: Familial dysautonomia  
[http://www.orpha.net/consor/cgi-bin/OC\\_Exp.php?Lng=EN&Expert=1764](http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=1764)
- The Norton & Elaine Sarnoff Center for Jewish Genetics  
<http://www.jewishgenetics.org/cjg/Ashkenazi-Jewish-Disorders.aspx>

### Patient Support and Advocacy Resources

- Center for Jewish Genetic Diseases, Mount Sinai School of Medicine  
<http://icahn.mssm.edu/research/programs/jewish-genetics-disease-center/screening-program/current-screenings>
- Dysautonomia Foundation  
<http://www.familialdysautonomia.org>
- Familial Dysautonomia Now Foundation  
<https://fdnow.org/>
- National Dysautonomia Research Foundation  
<http://www.ndrf.org>
- National Organization for Rare Disorders (NORD)  
<https://rarediseases.org/rare-diseases/dysautonomia-familial/>

### GeneReviews

- Familial Dysautonomia  
<https://www.ncbi.nlm.nih.gov/books/NBK1180>

### ClinicalTrials.gov

- ClinicalTrials.gov  
<https://clinicaltrials.gov/ct2/results?cond=%22familial+dysautonomia%22>

### Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Dysautonomia,+Familial%5BMAJR%5D%29+AND+%28familial+dysautonomia%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1440+days%22%5Bdp%5D>

### OMIM

- NEUROPATHY, HEREDITARY SENSORY AND AUTONOMIC, TYPE III  
<http://omim.org/entry/223900>

### **Sources for This Summary**

- Anderson SL, Coli R, Daly IW, Kichula EA, Rork MJ, Volpi SA, Ekstein J, Rubin BY. Familial dysautonomia is caused by mutations of the IKAP gene. *Am J Hum Genet.* 2001 Mar;68(3):753-8. Epub 2001 Jan 22.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/11179021>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1274486/>
- Axelrod FB, Hilz MJ. Inherited autonomic neuropathies. *Semin Neurol.* 2003 Dec;23(4):381-90. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/15088259>

- Axelrod FB. Familial dysautonomia. Muscle Nerve. 2004 Mar;29(3):352-63. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/14981733>
- Axelrod FB. Hereditary sensory and autonomic neuropathies. Familial dysautonomia and other HSANs. Clin Auton Res. 2002 May;12 Suppl 1:12-14. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/12102459>
- Carroll MS, Kenny AS, Patwari PP, Ramirez JM, Weese-Mayer DE. Respiratory and cardiovascular indicators of autonomic nervous system dysregulation in familial dysautonomia. Pediatr Pulmonol. 2012 Jul;47(7):682-91. doi: 10.1002/ppul.21600. Epub 2011 Dec 13.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/22170819>
- Elkayam L, Matalon A, Tseng CH, Axelrod F. Prevalence and severity of renal disease in familial dysautonomia. Am J Kidney Dis. 2006 Nov;48(5):780-6.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/17059997>
- Gold-von Simson G, Axelrod FB. Familial dysautonomia: update and recent advances. Curr Probl Pediatr Adolesc Health Care. 2006 Jul;36(6):218-37. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/16777588>
- Norcliffe-Kaufmann L, Axelrod FB, Kaufmann H. Developmental abnormalities, blood pressure variability and renal disease in Riley Day syndrome. J Hum Hypertens. 2013 Jan;27(1):51-5. doi: 10.1038/jhh.2011.107. Epub 2011 Dec 1.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/22129610>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3318957/>
- Slaugenhaupt SA, Blumenfeld A, Gill SP, Leyne M, Mull J, Cuajungco MP, Liebert CB, Chadwick B, Idelson M, Reznik L, Robbins C, Makalowska I, Brownstein M, Krappmann D, Scheidereit C, Maayan C, Axelrod FB, Gusella JF. Tissue-specific expression of a splicing mutation in the IKBKAP gene causes familial dysautonomia. Am J Hum Genet. 2001 Mar;68(3):598-605. Epub 2001 Jan 22.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/11179008>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1274473/>
- Slaugenhaupt SA, Gusella JF. Familial dysautonomia. Curr Opin Genet Dev. 2002 Jun;12(3):307-11. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/12076674>

---

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/familial-dysautonomia>

Reviewed: August 2013

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services